



PRODUCT CATALOGUE



THE ESSENCE OF ECHO

After a hard day's work with your chain saw, brushcutter, blower or hedge trimmer, do you ever spend time thinking about your ECHO tool? Do you ever wonder if it will easily start the next time you need it, will it have enough power or will it last until the job is done? Probably not. You don't have to think about your tool because we already have. Our philosophy is simple – to produce professional quality products that meet the demands of the people who use them.

The Essence of ECHO is a complex story intended to make your life simple. The many facets include:

Skilled Craftsmen

For over 70 years we've been producing durable, dependable products. It starts with engineers who understand the requirements of the applications and optimise performance, durability and ergonomics. They are followed by those in manufacturing who take great pride in what they do: create components to exacting specifications and assemble them into products worthy of the ECHO name.

World Class Technology

To be a global leader, you need to have cutting edge technology. We use the latest materials for strength and reduced weight. Computerised design and manufacturing allow us to meet tight tolerances, providing superior fit, finish and performance. Robots work tirelessly in tandem with our skilled associates for efficient and concise assembly of our products.

Integrated Production

The engine is the heart of our products and we control the entire process. Our vertically integrated system starts with ingots and includes casting, machining, heat treating, polishing and plating, all done in Japan. When you are famous for your engines, you don't want to put your reputation in someone else's hands.

Relentless Commitment to Quality

Check, check and re-check. Prototypes are field tested for months to assure they meet demanding criteria. Parts are continually measured to make sure there is no deviation. Assemblies are tested for fit. Every engine is started and measured to make sure they perform from the first pull. There are no assumptions and there is no "good enough."



TOP HANDLE CHAIN SAWS



CS-2511TES CS-2511TESC

Engine displacement: 25.0cm³
Output: 1.11kW / 1.51ps
Dry weight: 2.3kg
Bar size: 20, 25, 30cm (CS-2511TES)
20, 25cm (CS-2511TESC)



CS-280T

Engine displacement: 26.9cm³
Output: 1.07kW / 1.46ps
Dry weight: 3.0kg
Bar size: 25, 30, 35cm



CS-360TES

Engine displacement: 35.8cm³
Output: 1.62kW / 2.20ps
Dry weight: 3.6kg
Bar size: 35, 40cm

REAR HANDLE CHAIN SAWS



CS-3510L

Engine displacement: 34.4cm³
Output: 1.6kW / 2.18ps
Dry weight: 3.6kg
Bar size: 35, 40cm



CS-4010

Engine displacement: 41.6cm³
Output: 1.91kW / 2.6ps
Dry weight: 4.2kg
Bar size: 38, 45cm



CS-4920

Engine displacement: 50.1cm³
Output: 2.5kW / 3.4ps
Dry weight: 5.0kg
Bar size: 38, 45, 50cm



CS-620SX

Engine displacement: 59.8cm³
Output: 3.3kW / 4.5ps
Dry weight: 6.2kg
Bar size: 45, 50, 60, 70cm



CS-7310SX

Engine displacement: 73.5cm³
Output: 4.1kW / 5.6ps
Dry weight: 6.7kg
Bar size: 45, 50, 60, 70cm



CHAIN SAWS

PROFESSIONAL
GRADE

JAPAN
TECHNOLOGY

FEATURES & BENEFITS
CS-7310SX



CHAIN SHARPENING KITS

Our comprehensive sharpening kits include (2) round files, (1) flat file, file guide, depth gauge and plastic.

Size	Item#
4.0mm	99988800720
4.5mm	99988800721
4.8mm	99988800722
5.2mm	99988800723
5.5mm	99988800724



BRUSHCUTTERS

PROFESSIONAL
GRADE

JAPAN
TECHNOLOGY

BRUSHCUTTERS



SRM-3021TES
Engine displacement: 30.5cm³
Output: 1.3kW / 1.8ps
Dry weight: 5.9kg (Loop handle)
6.0kg (U handle)



SRM-420ES
Engine displacement: 41.5cm³
Output: 1.8kW / 2.4ps
Dry weight: 7.9kg (Loop handle)
8.5kg (U handle)



SRM-520ES
Engine displacement: 50.2cm³
Output: 2.2kW / 3.0ps
Dry weight: 9.0kg



BCLS-520ES
Engine displacement: 50.2cm³
Output: 2.2kW / 3.0ps
Dry weight: 9.4kg



CLS-520ES
Engine displacement: 50.2cm³
Output: 2.2kW / 3.0ps
Dry weight: 9.9kg



RM-3020T
Engine displacement: 30.5cm³
Output: 1.3kW / 1.8ps
Dry weight: 9.0kg

BACKPACK BRUSHCUTTERS

BACKPACK BRUSHCUTTERS



RM-3380
Engine displacement: 32.6cm³
Output: 0.9kW / 1.2ps
Dry weight: 9.8kg



RM-4301K-SI
Engine displacement: 42.7cm³
Output: 1.5kW / 2.0ps
Dry weight: 10.1kg



RM-520ES
Engine displacement: 50.2cm³
Output: 2.2kW / 3.0ps
Dry weight: 11.9kg

TRIMMERS & BRUSHCUTTER ACCESSORIES

Maximise your trimming and brushcutting performance with ECHO's complete line of trimmer heads, brushcutter blades and other accessories. From TAP & GO nylon cutting heads to our high performance steel brush blades, ECHO offers the right accessory for your task. Just like our trimmers, all of our trimmer and brush cutter accessories use commercial-quality components that are built to withstand daily, professional use.

SPEED FEED TRIMMER HEAD

ECHO's patented revolutionary Speed-Feed® trimmer head takes the hassle out of refilling your trimmer head and is the easiest loading tap-to advance head available. In fact the Speed-Feed reloads in under 30 seconds with just three easy steps, all without taking the head apart. SF400 is perfectly balanced for vibration-free operation and comes pre-loaded with 2.4mm Black diamond™ line.



SF400

Part# SF400/E1



SF500

Part# SF500/E

1. Line-up Arrows




2. Feed Line



3. Twist Top Disc



TAP & GO NYLON CUTTING HEAD



G138

G138 500: Part# X047-000560
(w/o spacer)



DS-5

Part# X047-000221



Z5

Part# X048-000020



B6

B6 M12: Part# X047-000460
(12mm bolt)

RAPID-LOADER™ HEAD



RAPID-LOADER™ 25

Item# C6000229



RAPID- LOADER™ 35

Item# C6000240



2-LINE RAPID-LOADER™

Item# C9500089



3-LINE RAPID-LOADER™

Item# C9500092

METAL BLADE



3-CUTTER BLADE

230mm (t2.0): Part# X405-000011
255mm (t2.0): Part# X405-000001



3-CUTTER BLADE

230mm (t3.0): Part# P021-014310
255mm (t3.0): Part# P021-014320



4-CUTTER BLADE

230mm (t2.0): Part# X400-000021
255mm (t1.4): Part# 696001-64133
255mm (t2.0): Part# X400-000032



8-CUTTER BLADE

230mm (t1.8): Part# X405-000130
255mm (t1.4): Part# 696001-55632
255mm (t2.0): Part# X405-000141



CLEARING SAW BLADE

200mm (t1.5): Part# X040-000090
Arbot:20mm



SHREDDER BLADE

Part# X413-000040



SHREDDER BLADE SHIELD KIT

Part# P021-035961



SAW BLADE SHIELD

Part# P100-008860
Can not be used with X040-000090



HEDGE TRIMMERS

DOUBLE-SIDED HEDGE TRIMMERS

HC-2020
Engine displacement: 21.2cm³
Output: 0.6kW / 0.8ps
Dry weight: 4.5kg
Cutting length: 534mm

HC-2020R -Rotatable handle
Engine displacement: 21.2cm³
Output: 0.6kW / 0.8ps
Dry weight: 4.6kg
Cutting length: 534mm

HC-2320
Engine displacement: 21.2cm³
Output: 0.6kW / 0.8ps
Dry weight: 4.6kg
Cutting length: 639mm

HC-2810ESR -Rotatable handle
Engine displacement: 21.2cm³
Output: 0.6kW / 0.8ps
Dry weight: 5.2kg
Cutting length: 624mm

SINGLE-SIDED HEDGE TRIMMERS

HCS-2810ES
Engine displacement: 21.2cm³
Output: 0.6kW / 0.8ps
Dry weight: 4.7kg
Cutting length: 589mm



HEDGE TRIMMERS

SHAFTED HEDGE TRIMMERS

HCAS-236ES-LW
Engine displacement: 21.2cm³
Output: 0.7kW / 1.0ps
Dry weight: 5.9kg
Cutting length: 519mm
Overall length: 1749mm

HCA-236ES-LW
Engine displacement: 21.2cm³
Output: 0.7kW / 1.0ps
Dry weight: 6.2kg
Cutting length: 519mm
Overall length: 2407mm

HCA-2620ES-HD
Engine displacement: 25.4cm³
Output: 1.0kW / 1.4ps
Dry weight: 6.6kg
Cutting length: 536mm
Overall length: 2440mm





BLOWERS



HANDHELD BLOWERS




PB-2520

Engine displacement: 25.4cm³
Output: 0.9kW / 1.2ps
Dry weight: 3.9kg
Blowing air force: 15.8N
Air volume: 768m³/h
Max. air speed: 76.2m/sec



PB-2620

Engine displacement: 25.4cm³
Output: 0.9kW / 1.2ps
Dry weight: 4.4kg
Blowing air force: 15.8N
Air volume: 774m³/h
Max. air speed: 76.7m/sec



ROTATIONAL CONTROL

ECHO reduces the effort required to keep the blower from rotating in towards the operator's legs (like most handheld models do) and actually delivers a slight pull away from the operator (green section). The effect makes the blower easier to handle and reduces stress on the operator's arm.

SHRED 'N' VAC®



ES-250ES

Engine displacement: 25.4cm³
Output: 0.7kW / 1.0ps
Dry weight: 5.7kg
Blowing air force: 12.0N
Air volume: 576m³/h
Max. air speed: 81.7m/sec



BACKPACK BLOWERS



PB-580

Engine displacement: 58.2cm³
Output: 2.1kW / 2.9ps
Dry weight: 10.3kg
Blowing air force: 22.0N
Air volume: 882m³/h
Max. air speed: 96.4m/sec



PB-7910T

Engine displacement: 79.9cm³
Output: 3.5kW / 4.8ps
Dry weight: 11.8kg
Blowing air force: 41.4N
Air volume: 1436m³/h
Max. air speed: 108.9m/sec



PB-9010T

Engine displacement: 79.9cm³
Output: 4.2kW / 5.7ps
Dry weight: 12.4kg
Blowing air force: 48.9N
Air volume: 1907m³/h
Max. air speed: 97.8m/sec



POWER PRUNERS®



TELESCOPIC



PPT-2620ES

Engine displacement: 25.4cm³
Output: 1.04kW / 1.41ps
Dry weight: 8.0kg
Overall length: 2716-3704mm



PPT-2620HES

Engine displacement: 25.4cm³
Output: 1.04kW / 1.41ps
Dry weight: 7.7kg
Overall length: 2716-3704mm

FIXED



PPF-236ES

Engine displacement: 21.2cm³
Output: 0.7kW / 1.0ps
Dry weight: 5.8kg
Overall length: 2388mm

POWER PRUNER ACCESSORIES



4' EXTENSION 99946400023

Length: 1200mm
Item# C9500496

For PPT-2620ES
PPT-2620HES





OTHERS



LAWN MOWERS



LM-2119SP

Engine Type: 190cc Briggs & Stratton
Starting System: ReadyStart
Cutting Width: 51.0cm (20in)
Cutting Height: 32-102mm



LM-3022SP

Engine Type: 223cc Briggs & Stratton
Starting System: ReadyStart
Cutting Width: 75.7cm (30in)
Cutting Height: 32-108mm

WATER PUMPS



WP-2500

Engine displacement: 32.6cm³
Output: 0.9kW / 1.2ps
Dry weight: 7.5kg
Water Outlet Diameter: 25mm
Flow: 8m³/h
Suction Length: 8m
Total Maximum Lift: 25m



WP-4000

Engine displacement: 42.7cm³
Output: 1.25kW / 1.7ps
Dry weight: 9kg
Water Outlet Diameter: 40mm
Flow: 12m³/h
Suction Length: 8m
Total Maximum Lift: 25m



WP-5000

Engine displacement: 208cm³
Output: 4.2kW / 5.7ps
Dry weight: 22kg
Water Outlet Diameter: 50mm
Flow: 30m³/h
Suction Length: 8m
Total Maximum Lift: 30m



WP-8000

Engine displacement: 208cm³
Output: 4.2kW / 5.7ps
Dry weight: 24kg
Water Outlet Diameter: 80mm
Flow: 60m³/h
Suction Length: 8m
Total Maximum Lift: 27m



OTHERS



POWER SPRAYERS



SHP-2580

Engine displacement: 25.4cm³
Output: 0.75kW / 1.02ps
Dry weight: 9.2kg
Chemical tank capacity: 25L



SHP-8250

Engine displacement: 25.4cm³
Output: 0.79kW / 1.07ps
Dry weight: 9.1kg
Chemical tank capacity: 25L

ENGINE CUTTERS



*Brade not included.

CSG-7410ES CSG-7410ES/12

Engine displacement: 73.5cm³
Output: 3.2kW / 4.4ps
Dry weight: 10.3kg (14inch)
9.9kg (12inch)
Applicable blade diameter:
350mm (14inch), 305mm (12inch)



ENGINE DRILLS



*Drill not included.

EDR-260

Engine displacement: 25.4cm³
Output: 0.85kW / 1.16ps
Dry weight: 5.2kg
Gear reduction: 17.1 (Regular)
19.0 (Reverse)
Chuck diameter: 1/2inch (Standard)





56V BATTERY SERIES

TOP HANDLE CHAIN SAWS



DCS-2500T DCS-2500TC
 Rated voltage: 50.4V
 Dry weight: 1.7kg
 Bar size: 25cm (DCS-2500T)
 Bar size: 20, 25cm (DCS-2500TC)

REAR HANDLE CHAIN SAWS



DCS-2500
 Rated voltage: 50.4V
 Dry weight: 2.0kg
 Bar size: 20, 25, 30cm



DCS-3500
 Rated voltage: 50.4V
 Dry weight: 2.8kg
 Bar size: 35cm



SINGLE-SIDED HEDGE TRIMMERS


DOUBLE-SIDED HEDGE TRIMMERS



DHC-2200R -Rotatable handle
 Rated voltage: 50.4V
 Dry weight: 2.9kg
 Cutting length: 562mm



DHC-2800R -Rotatable handle
 Rated voltage: 50.4V
 Dry weight: 3.1kg
 Cutting length: 714mm



DHCS-2800
 Rated voltage: 50.4V
 Dry weight: 2.9kg
 Cutting length: 714mm



56V BATTERY SERIES

TRIMMERS



DSRM-2600
 Rated voltage: 50.4V
 Dry weight: 3.2kg (Loop handle), 3.7kg (U handle)

T-SHAPED GRASS TRIMMERS




DTT-2100
 Rated voltage: 50.4V
 Dry weight: 3.7kg
 Cutting length: 464mm

BLOWERS



DPB-2600
 Rated voltage: 50.4V
 Dry weight: 2.5kg
 Blowing air force: (STD) 12.8N, (Boost) 16.7N
 Air volume: (STD) 697m³/h, (Boost) 798m³/h
 Max. air speed: (STD) 69.7m/sec, (Boost) 79.5m/sec

PRO ATTACHMENT SERIES™



DPAS-2600
 Rated voltage: 50.4V
 Dry weight: 2.4kg

MTA-DTB
 Trimmer and brushcutter attachment.

MTA-DAH
 Long shafted hedge trimmer attachment.

MTA-DPP
 Pruner attachment.

MTA-TC
 Tiller/cultivator attachment.

MTA-LE/E
 Edger attachment.

MTA-PB
 Blower attachment.



56V BATTERY SERIES

BATTERIES & CHARGERS



LBP-50-150

Rated voltage: 50.4V
Battery type: Li-ion
Battery capacity: 113Wh
Weight: 1.0kg



LBP-50-250

Rated voltage: 50.4V
Battery type: Li-ion
Battery capacity: 226Wh
Weight: 1.8kg



ULTRA RAPID CHARGER LCJU-560

Fits all ECHO professional 56V batteries.



RAPID CHARGER LCJQ-560C

Fits all ECHO professional 56V batteries.



www.echotools.com

Your Nearest Authorized Servicing Dealer

©2025 YAMABIKO CORPORATION.
ALL RIGHTS RESERVED.